

**Название публикации:**

Controlled-Release Matrixes for Drugs Based on Polyamide-Polyhydroxybutyrate Compositions

**Авторы:**

Ol'khov, AA [ 1,2 ] ; Pankova, YN [ 2 ] ; Kosenko, RY [ 2 ] ; Gol'dshtrakh, MA [ 2 ] ; Markin, VS [ 2 ] ; Iordanskii, AL [ 2 ]

[ 1 ] GV Plekhanov Russian Econ Univ, 36 Stremyannyi Per, Moscow 117997, Russia

[ 2 ] Russian Acad Sci, NN Semenov Inst Chem Phys, 4 Kosygin St, Moscow 119991, Russia

**Сведения об издании:**

PHARMACEUTICAL CHEMISTRY JOURNAL

Том: 52 Выпуск: 1 Стр.: 77-83

DOI: 10.1007/s11094-018-1768-7

Опубликовано: APR 2018

Тип документа: Article

**Аннотация:**

The transport properties of films based on poly(3-hydroxybutyrate) (PHB) and polyamide were studied. The factor responsible for the rate of controlled release of antiseptic from film compositions was the link between diffusion and PHB destruction. A model of this process and measurements of the coefficients of diffusion of an antiseptic are presented. The fundamental possibility of using these compositions as matrix systems for prolonged (more than one month) controlled delivery of a model pharmaceutical (the antiseptic furacillin) with constant and controllable release rates is discussed. The study matrixes could be used as wound coverings (dressings).

**Ключевые слова:**

polyhydroxybutyrate; polyamide; polymer compositions; films; diffusion; furacillin; controlled release